


TECHNICAL RIDER KVS BOL



ACCESS

Loading bay:

Arduinkaai (no number), 1000 Brussels

Postal address:

Arduinkaai 7, 1000 Brussels

Audience access:


Lakensestraat 146, 1000 Brussels

www.kvs.be

+ 32 (0)2 210 11 00

Click [here](#) for traffic directions.

PLEASE NOTE: large lorries and trailers should follow the directions below!



CONTACT


Please click [here](#) for up-to-date contact details of staff members.

LOADING AND UNLOADING

Unloading takes place via the gate at the back of the venue, straight onto the stage.

Gate dimensions: see photo.

Lorries can stay parked on the square at the back.




SEATING AND CAPACITY

500 seats across stalls and 3 balconies.

The venue can be used in various configurations as the seats in the middle of the stalls can be removed and the floor of the stalls can be raised or lowered to max. equal height as the stage.

Click [here](#) for a seating plan



MIXING POSITIONS

Mixing desk can be placed in 3 positions:

In the mixing cabin, in the middle of the first balcony. (A)

In the boxes at the back of the stalls. (B)

In the stalls, at the centre of the back rows. (C)

Each location has implications for public sales and must be clearly communicated in advance.



STAGE (plans on website)

stage: 22 m W x 14,4 m D x 18,8 m H (max. fly bar height)

back of stage: 16,5 m W x 8,7m H

frontstage: 1,35 m (1,29 m to fire screen)

orchestra pit: 2,3 m D

Proscenium:

between 9,5m and 15m wide

between 6m and 8,7m high

stage floor colour: red-brown wood (cfr. picture)

DRAPERIES

Black

3x	Borders	16.00 x 3.00
3x	Borders	16.00 x 4.00
8x	Legs	2.74 x 12.00
6x	Tabs	4.14 x 10.15
2x	Backdrop	8.00 x 10.15

Ecu

Cyclorama 270 ecru	15.60 x 9.73
--------------------	--------------

Black dance floor: available for entire stage

RIGGING

All fly bars are computer operated.

Back of stage:	8 fly bars (13m long, 0,4m/s, max. 300 kg total load)
Stage:	48 variable speed fly bars (15,6m long, max. 1,2m/s, max. 500 kg total load)
	2 single speed side bars (9,5m long, 0,2m/s, max. 300 kg total load)
Frontstage:	2 fly bars (14m long, 0,4m/s, 300 daN)

8 manual chain hoists, max. 500 kg

LIGHTING

Standard equipment

512 dimmers 3kW

23 dimmers 5 kW

18 relay circuits

For an overview of **mobile equipment**: see website

SOUND

Standard equipment

Speakers: Meyer ultraseries – selfpowered

FOH + centre cluster

For an overview of **mobile equipment**: see website

VIDEO

For an overview of **mobile equipment**: see website

INTERCOM

An intercom can be provided in the most common places.

DRESSING ROOMS

Dressing rooms are used for both BOL and BOX.

2 Waiting rooms -1 behind stage BOL

Level 0 : 2x1p, 1x2p, 1x3p

Level -1: 3x1p, 1x2p, 1x1p + hairdressers' room

Level -2: 4x1p, 1x2